

58841

NUTTER, McCLENNEN & FISH

FEDERAL RESERVE PLAZA
600 ATLANTIC AVENUE
BOSTON, MASSACHUSETTS 02210

U.S. v. AVX Original
Litigation Document

BOSTON OFFICE

TELEPHONE (617) 973-9700
TELEX 940790
TELECOPIER (617) 973-9748
CABLE ADDRESS "DUNTER"

WASHINGTON, D.C. OFFICE

FEDERAL BAR BUILDING WEST
1819 H STREET, N.W.
WASHINGTON, D.C. 20006
TELEPHONE (202) 296-3500

March 18, 1985
11478-26

Ms. Jackie Prince
Room 1903
New Bedford Project Officer
USEPA
Region I
J. F. Kennedy Building
Boston, MA 02203

Dear Ms. Prince:

Thank you for making the following documents available at
the EPA Region I Library for Nutter, McClennen & Fish:

- (1) "Specifications for Remedial Work at
Cornell-Dubilier Electronics, New
Bedford, Mass." By GZA, Nov. 1981.
- (2) "Technical Specifications and Plans
for Remedial Measures, Aerovox
Property, New Bedford, MA." By
GHR, May 24, 1983.
- (3) "Contemplated Remedial Action/
Sampling Plan for Cornell-Dubilier
Electronics Plant Site, New Bedford,
MA." By EG&G, October 1981.
- (4) "Final Report - Implementation of
Action Plan, Cornell-Dubilier
Electronics." By EG&G, Feb. 18,
1983.
- (5) "Remedial Action Plan for Selected
Areas of New Bedford Municipal Sewer
System." By Cornell-Dubilier & O'Brien
& Gere, Jan. 27, 1984.
- (6) "New Bedford Environmental Investigation-
Ambient Monitoring Program - Final Report."
By GCA, April, 1984.

NUTTER, McCLENNEN & FISH

Ms. Jackie Prince
Page 2
March 18, 1985

Unfortunately, however, the library did not have two of the documents listed on your letter (enclosed) to Henry J. Kupperman of Drinker Biddle & Reath (counsel to Kemper Insurance Company), pursuant to his Freedom of Information Act request.

We would be very grateful if you could make these two documents (underlined in red in the letter) available to us. They are:

- (3) "Report on Sampling and Analysis "
(Pg. 1 of letter)
- (8) "FDA Review of PCB Health Effects"
(Pg. 2 of letter)

If you have any questions, please contact me at 973-9700, Ext. 564. Thank you for all your help.

Sincerely,

Kate E. Heaton

Kate E. Heaton
Legal Assistant

KEH:igv

Enclosure



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION I

J. F. KENNEDY FEDERAL BUILDING, BOSTON, MASSACHUSETTS 02203

JAN 16 1985

Henry John Kupperman
Drinker Biddle & Reath
110 PNB Building
Broad & Chestnut Streets
Philadelphia, PA 19107

Re: FOI-RNN-0008-85

Dear Mr. Kupperman:

I am writing in reference to your Freedom of Information Act Request and to document EPA's response. Pursuant to our telephone conversation on January 7, I met with Michael Weisman and yourself on January 8, 1985 in EPA's Boston Office. The requested information was given to you through our library and seven (7) reports on remedial action at Aerovox and Cornell-Dubilier were loaned for 24 hours for copying purpose. These reports are as listed:

1. Report on Evaluation of Remedial Alternatives ✓
2. Technical Specifications and Plans ✓
3. Report on Sampling and Analysis ✓
4. Final Report: Implementation of Action Plans ✓
5. Specifications for Remedial work at Cornell-Dubilier ✓
6. Remedial Action Plan ✓
7. Contemplated Remedial Action and Sampling Plan ✓

In addition, copies of the following documents from the library were given to you in person and I am enclosing a bill for such documents.

1. Remedial Investigation/Feasibility Study for the Acushnet River Estuary ("RI/FS") (2 copies)
2. RI/FS Executive Summary (2 copies)
3. RI/FS Addendum (2 copies)

4. Remedial Action Master Plan
5. Metcalf and Eddy Date Management Report (Final)
6. Executive Summary of above
7. NUS Work Plan
8. FDA Review of PCB Health Effects
9. New Bedford Environmental Investigation - Ambient Monitoring Program
10. (EPA - U.S. Coast Guard - Final Report) "Tidal Cycle and Mass Transport Study"

Feel free to contact me at 223-1951 if I may be of further assistance.

Sincerely,

Jackie Prince

Jackie Prince
New Bedford Project Officer

Enclosure (bill)